

L Number	Hits	Search Text	DB	Time stamp
282	23	(((((layer or film or interfer\$) with filter) and (frame or ring or support or holder) and (thermal with expansion with coefficient))) ) and (wavelength with shift with (compensat\$ or reduc\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 09:30
-	249	(359/577).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 14:06
-	634	(359/580).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 14:06
-	471	(359/586).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 14:06
-	329	(359/588).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 14:06
-	807	(359/589).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 14:06
-	96	(359/260).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 14:06
-	36	(359/261).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 14:06
-	291	(356/519).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 14:06
-	415	(372/103).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 14:06

-	653	(372/98).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 14:06
-	1300	(372/92).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 14:06
-	727	(372/107).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 14:07
-	2	("5751487").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 14:59
-	4	("3551017"   "4937134"   "4940636"   "5044736").PN.	USPAT	2003/06/26 15:10
-	38	((frame or mount) with steel) and (filter with (multilayer or multi?layer or (multi adj layer)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 17:14
-	402	(temperature or thermal\$) and steel and (filter with (multilayer or multi?layer or (multi adj layer)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 17:50
-	3	((temperature or thermal\$) and steel and (filter with (multilayer or multi?layer or (multi adj layer)))) and (center with wavelength with shift)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 17:25
-	565	((temperature or thermal\$) with expan\$) and steel and (filter with optic\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 17:51
-	302	((temperature or thermal\$) with expan\$) and steel and (filter with optic\$4) and (compensat\$ or insensit\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 17:55
-	150	((temperature or thermal\$) with expan\$) and steel and (filter with optic\$4) and (compensat\$ or insensit\$) and aperture	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 18:22

-	128	((temperature or thermal\$) with expan\$) and (filter with thin with film) and (compensat\$ or insensit\$) and (aperture or opening)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 18:45
-	23	("3459467"   "3666351"   "4147413"   "4240696"   "4786128"   "4973131"   "5005947"   "5035495"   "5157468"   "5212584"   "5289552"   "5379155"   "5384877"   "5471721"   "5502781"   "5604629"   "5615052"   "5615224"   "5859717"   "5879820"   "5923471"   "5930046"   "6088079").PN.	USPAT	2003/06/26 18:31
-	7250	filter and ((temperature or thermal\$) with (compensat\$ or insensit\$)) and (aperture or opening)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 18:46
-	134	(filter with ((thin with film) or interference)) and ((temperature or thermal\$) with (compensat\$ or insensit\$)) and (aperture or opening) and steel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 18:57
-	1773	(multilayer with interference filter) and aperture and (steel with (frame or housing))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 18:58
-	1	(multilayer with interference with filter) and aperture and (steel with (frame or housing))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 19:00
-	32	(multilayer with interference with filter) and ((temperature or thermal\$) with compensat\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/27 09:39
-	26	(((((multilayer or multi?layer or (multi adj layer)) with interfer\$) or wdm) with filter) and (steel with (frame or housing))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/27 09:49
-	53	(((((multilayer or multi?layer or (multi adj layer)) with interfer\$) or wdm) with filter) and steel and (coefficient with (temperature or thermal\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/27 10:10
-	74	(((((multilayer or multi?layer or (multi adj layer)) with interfer\$) or wdm) with filter) and (coefficient with (temperature or thermal\$))) and aperture	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/27 10:15
-	2	("4813756"   "6269202").PN.	USPAT	2003/06/27 10:44

-	2	("4813756"   "6269202").PN.	USPAT	2003/06/27 10:53
-	280	((((multilayer or multi?layer or (multi adj layer)) with interfer\$) or wdm) with filter) and (coefficient with (temperature or thermal\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/27 12:59
-	7	("5040895"   "5142414"   "5218422"   "5225888"   "5646729"   "5818586"   "5831262"   "2002/0031155").PN.	USPAT	2003/11/06 08:53
-	26169	((multi?layer or multilayer or (multiple adj layer)) with film) and (aperture or opening or clear\$3 or hole)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 09:24
-	7414	((multi?layer or multilayer or (multiple adj layer)) with film) and ((aperture or opening or clear\$3 or hole) with (frame or substrate))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 09:25
-	89	((multi?layer or multilayer or (multiple adj layer)) with film with (free or free?standing)) and ((aperture or opening or clear\$3 or hole) with (frame or substrate))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 10:10
-	98	((multi?layer or multilayer or (multiple adj layer)) with film with (free or free?standing or (free adj standing))) and ((aperture or opening or clear\$3 or hole) with (frame or substrate or support))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 10:30
-	4	((multi?layer or multilayer or (multiple adj layer)) with film with filter with (free or free?standing or (free adj standing))) and (aperture or opening or clear\$3 or hole)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 10:31
-	219	((((multi?layer or multilayer or (multiple adj layer)) with film with filter) and ((aperture or opening or clear\$3 or hole) with (frame or substrate or support))) and (stress or strain or temperature or thermal\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 10:33
-	306	((multi?layer or multilayer or (multiple adj layer)) with film with filter) and ((aperture or opening or clear\$3 or hole) with (frame or substrate or support))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 11:24
-	79	((359/577).CCLS.) and (temperature or thermal\$) and filter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 14:27

-	122	((359/580).CCLS.) and (temperature or thermal\$) and filter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 14:28
-	103	((359/586).CCLS.) and (temperature or thermal\$) and filter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 14:28
-	69	((359/588).CCLS.) and (temperature or thermal\$) and filter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 14:28
-	218	((359/589).CCLS.) and (temperature or thermal\$) and filter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 14:28
-	42	((359/260).CCLS.) and (temperature or thermal\$) and filter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 14:28
-	116	((356/519).CCLS.) and (temperature or thermal\$) and filter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 14:28
-	54	((372/103).CCLS.) and (temperature or thermal\$) and filter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 14:28
-	136	((372/98).CCLS.) and (temperature or thermal\$) and filter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 14:28
-	200	((372/92).CCLS.) and (temperature or thermal\$) and filter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 14:28
-	62	((372/107).CCLS.) and (temperature or thermal\$) and filter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 14:29

-	2	((359/261).CCLS.) and (temperature or thermal\$) and filter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 15:08
-	248	((multilayer or multi?layer or (multi adj layer)) with film with filter) and ((etch\$4 or remov\$4 or releas\$4) with substrate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 16:10
-	1	((((multilayer or multi?layer or (multi adj layer)) with film with filter) and ((etch\$4 or remov\$4 or releas\$4) with substrate)) and freestand\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 15:55
-	7	((((multilayer or multi?layer or (multi adj layer)) with film with filter) and ((etch\$4 or remov\$4 or releas\$4) with substrate)) and (freestand\$ or free?stand\$ or (free adj stand\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 16:00
-	4	((("4373775") or ("3393035")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 16:03
-	2	jp-11064629-\$\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 16:05
-	2	jp-03196001-\$\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 16:06
-	2	jp-63189802-\$\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 16:07
-	10	((multilayer or multi?layer or (multi adj layer)) with film with filter) and frame and (thermal with expansion with coefficient)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 16:34
-	47	((multilayer or multi?layer or (multi adj layer)) with film with filter) and (ring or support or holder) and (thermal with expansion with coefficient)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 19:06
-	7	("5778118"   "5889904"   "5982518"   "6023542"   "6198858"   "6249625"   "6339663").PN.	USPAT	2004/01/08 16:57

-	570	((layer with film) or interfer\$) with filter) and (frame or ring or support or holder) and (thermal with expansion with coefficient)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 17:44
-	39	((layer with film) or interfer\$) with filter) and (frame or ring or support or holder) and (thermal with expansion with coefficient)) and (freestand\$ or free?stand\$ or (free adj stand\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 08:03
-	59	((layer or film or interfer\$) with filter) and (frame or ring or support or holder) and (thermal with expansion with coefficient)) and (freestand\$ or free?stand\$ or (free adj stand\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 08:12
-	341	((layer or film or interfer\$) with filter) and ((frame or ring or support or holder) with mount\$3) and (thermal with expansion with coefficient))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 08:13
-	202	((layer or film or interfer\$) with filter) and ((frame or ring or support or holder) with mount\$3) and (thermal with expansion with coefficient)) ) and wavelength	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 09:29